


CONTRACT CARPET TILES FLATWOVEN QUALITIES

OUTLET LIST
2025-02-28



Space TEXTiles

The flat woven quality Space combines comfort and quality, and is suitable for extra heavy commercial use. The quality is available in 8 different colours, and can be delivered as both broadloom and carpet tiles.



Space broadloom - col. 350

■ Tiles

100% PA 6.0 Aqualon

Continuous dyed

33 Commercial – heavy

[Technical details – broadloom](#)

[Technical details – tiles](#)

Installation:




Recommended
stocked



T326250 - 45 m²



T326350 - 85 m²



T326600 - 200 m²



T326800 - 310 m²



Space tiles - col. 250



Space tiles - col. 800

NORDIC TEXTiles

– Nordic beauty for all times

Nordic offers a similarly simple design as COM 1000 and is the essence of a timeless carpet with high quality as the key factor. The classic expression sparks associations to cobblestone paving, a classic architectural element in the urban space.

With its Nordic simplicity, based on proud weaving traditions, this carpet is a beautiful choice at all times and for any type of commercial project. Like most Fletco carpets, Nordic is woven of white, undyed yarn and dyed after weaving, which offers a high degree of flexibility for specific commissions, a wider colour range and the possibility of custom colours.


Available as square carpet tiles.




From stock



Produced to order only



Produced to order only



■ Laser cut tiles 50 x 50 cm*

100% PA 6.6 Ultron*

Manufactured without Bitumen, Latex, PVC and PFAS

Continuous dyed

33 Commercial – heavy

rPET felt backing*

Find technical details on www.fletcocarpets.com

Nordic broadloom - col. 320



T394303 - 54 m2



T394352 - 355 m2



T394402 - 62 m2



T394405



T394441 (Web Code SL) - 345 m2



T394502 (ZigZag) - 400



T394502 - 168 m2



T394602 - 27 m2



T394652 - 148 m2



T394702 - 70 m2



T394853 - 272 m2

Classic Weave TEXTiles

■ Tiles


100% PA 6.6 Ascend Ultron®

Continuous dyed

33 Commercial – heavy

Technical details

Installation:



Recommended stocked

Produced to order only



Classic Weave - col. 400



Classic Weave - col. 800




T750500 - 244 m²



T750600 - 81 m²



T750650 - 490 m²



T750400 - 711 m²



T750700 - 110 m²

